


**UNIVERSITY of VIRGINIA**  
 OFFICE OF UNIVERSITY BUILDING OFFICIAL

<b>Required</b>	<b>Required Certification Documentation</b> (To be submitted to OUBO with TCUO application)	<b>Completed/ Attached</b>
	Above and Below Ground Fire Sprinkler System and Standpipe System “Contractor’s Material and Test” certifications per NFPA 13 & 14.	
	Fire alarm and detection “System Record of Completion” certification per NFPA 72.	
	Hood fire suppression “Wet Chemical System Acceptance Test” certification report per NFPA 17A.	
	Test/inspection reports for spray fireproofing.	
	Certification for concrete masonry units used in rated wall assemblies. Note: Check plans for rated design designations and specifications for additional requirements.	
	Test documentation for smoke control systems.	
	Certification for new gas piping per USBC and appropriate referenced NFPA standards (purge and pressure tests).	
	Fire pump certification per NFPA 20.	
	Emergency generator certification and power supply for fire protection systems.	
	Decorations, curtains, and drapes - flame resistance certification if applicable. NFPA 701.	
	Certification for textile wall & ceiling finishes.	
	Certification of flamespread & smoke development ratings for wall and ceiling finishes.	
	Certification/Test report for floor finishes.	
	HVAC Balancing and Test Report approved by Engineer of Record.	
	Other:	
	<u>NOTE:</u> Not all certifications may be listed since applicable code requirements and scope of projects will vary.	